

KISSsoft Live Stream Training

Advanced: Cylindrical Gear Design, Analysis and Optimization

November 15-17, 2022 (session 1-3) November 22-24, 2022 (session 4-6)

												S									1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1										
	- C								-																						
												1 A .									A CONTRACTOR OF A										
							10 I I I I	1					and the second sec			A CONTRACTOR OF					1							10.00			
						-			-							1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.					A DESCRIPTION OF A DESC										
				10			10 I I I I	1. S.				10 C 10 C	1			1.		11 A 4	A 10		A DESCRIPTION OF A				1.1.1	10.00 At 10.00 At 10.00		10.00	1		
					••••••••••••••••••••••••••••••••••••			1	-				A DESCRIPTION OF A DESC			100 C					A REAL PROPERTY AND A REAL		the second second					10.00	and the second second		
	2.2.2	and the last star			a di kabula kabu		20 C S	a baha bahar di			1. S. S. M. S.	14 A A A	a second second		8 M A	10.000		4 M.			to the state of the state of the state		 In the balance design of 			to be been a set of the			in the instant of		1.1.1.1.1.1.1.1.1.1.
									-												A CONTRACTOR OF A										
																A CONTRACTOR OF A					A CONTRACTOR OF A										
									-																						
																A CONTRACTOR OF					A CONTRACTOR OF										
																					A CONTRACTOR OF A										
	-			_		_						S 81				1.	- E - E	÷			1.										
													ALC: NOT THE REAL OF THE REAL								A REPORT OF A								a sub subset		
					and the second second		10 D. 10	1	- 19 A.				and the second second			100 C					A		and the second second					10.00	a second second		
							10 I I I I	1	100				and the second sec			A CONTRACTOR OF					1							10.00			
						-				a series a						1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.					A DESCRIPTION OF A DESC										
					••••••••••••••••••••••••••••••••••••			1		State of the local division of the local div			A DESCRIPTION OF A DESC			100 C					A CONTRACTOR OF A		the second second					10.00	and the second second		
									-				1			1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.					A CONTRACTOR OF A										
									-												1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1										
						-															A CONTRACTOR OF A										
						-																									
	÷								-																1.1						
	1.1						2.2.3	a ser a s								A CONTRACTOR OF					A CONTRACTOR OF A	1.1			1.1						
					and the second s			a ser a second													A CONTRACTOR OF A	1.1			1.1	and the second second			and the second sec		
	÷			- E		-	2.2.3					- No. 1				1.	- 10 A	10 M			A CONTRACTOR OF	- E - E			12.5			10.00	a series and the	- E -	
	÷								-			1.1				A CONTRACTOR OF A					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									- E	
	10.0	and the second			en el contra la							2011	ALC: NOTICE A											1111		CONTRACTOR A	1.11	10.00	A DAMA PROPERTY.	1.00	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
	20.0				and the second second second		10.00	A REAL PROPERTY OF				2010	a the second of			A DECEMBER OF A					 A second sec second second sec		the second second second			ALC: NOT THE REPORT OF		10.00	A DECEMBER OF		
					and the second second		10 I I I I I	1					ALC: NO DESCRIPTION OF			A DECEMBER OF A					A REPORT OF A		the second second					10.00	1		
					and the second second			1					ALC: NOT THE OWNER OF			100 C					A REPORT OF A REPORT OF A		the second second						and the second second		
	1.1.1	ind, in fail do	defend of the		ind the industry in the			h factorization (* 1	1.1.1.1.1.1		Andread States										to the desired of the					Industry Industry 1		1.1.1	is in its index.		a da a babata
																					A REPORT OF A										
																					A CONTRACTOR OF A										
and a second	- 1	in the second		- C	والمتحدث والمتح	- -	Cardinal I						A REAL PROPERTY.			100 C			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				 A first starts first 			And the second s		10 A 10	10.000 (March 10.000)		
									1 A A						100 C	1.1.1.1.1.1.1.1					A CONTRACTOR OF A										
	÷			- E				a second				S 81			- A.						A CONTRACTOR OF A										
															- 7 -	and the second					A CONTRACTOR										
					o norme in														222223										a second second		DID DEPEND
	22.2			12.11			22.2.2					100 C 100		1 Mar 1		1.11		2 W.			A CONTRACTOR OF A	1213		11112					a she areas		
					and the second second		10 C 10 C						ALC: NOT THE REPORT OF	1.00															a second second	1.0	 A second sec second second sec
										 In the later 						100 B			and the second sec		 A second sec second second sec		the second second			ALC: NOTE: N		10.10			
									- E.					a - 2																	
a a a 1	$T \sim C$						111		÷.					14 Å	1. A. P.									- 1							
	2.2.2	our cons										$\hat{z} = \hat{z}$			×.,			1.1			A DESCRIPTION OF A DESC									i.	
		0.000							сці. Linite	0 0 0 0 0 0			0.000000		×.,	100 million (1996)		1.1		:	::::::::::::::::::::::::::::::::::::::			n de			i. Na			n ôn	D-0 00010
		0.0000		ĝ.	0.00000	- ĝ	000			0.0000			0.000000	193	101	011	Ň	: : 10	11100 ••• 6	:	A DESCRIPTION OF A DESC	ġ.	00000	οĝ	00	00000 +	- i-			uğu	
		0.0000		ģ.	0 1 0 0 0 1	- ĝ				0.0000			0.0000				h		311XI · · · I	:	::::::::::::::::::::::::::::::::::::::	ġ.	00000			000310 +					D-0 00010
	5			j.	0 0 0 0 0 0	- ĝ				0.0000			201101						11100	:	::::::::::::::::::::::::::::::::::::::	ġ.	00000	οĝ		•					D-0 00010
				j.	0 1 0 0 0 1		1.1.1			0.0000	1		0.0000		101				11100	• •	::::::::::::::::::::::::::::::::::::::	ġ.	00000			000310 +					D-0 00010
		0 0000			0 1 0 0 0 0 1					00000					101				11133 0	• •	0.0000000		(100001)			• (12200)					0.0000
					0 0 00000					0.0000									11100	0	0.030001		00000			0000D +		0.1			0.0000
					0 0 0 0 0 0 0 0															0	(-)-)					(0001) (0.1			0.0000
														0.0						0	0.0000000000000000000000000000000000000							0.1			
														0.0						0	(+) (+) (+) (+) (+) (+) (+) (+) (+) (+)							0.1			
														0.0	01					0	(+) (+) (+) (+) (+) (+) (+) (+) (+) (+)										
															01						0-0-0-0-0-0										
														0.0	01						0-0-0-0-0-0										
															01											000000 +					
															01																
) [] ())] ())													000000 +					
																										000000 +					
																										• (1200)					
																										• (1200)					
												0.1																			
												0.1																			
												0.1														• 00000					

KISSsoft AG A Gleason Company Rosengartenstr. 4, 8608 Bubikon Switzerland

T. +41 55 254 20 50 F. +41 55 254 20 51 info@KISSsoft.com www.KISSsoft.com

Sharing Knowledge

The below schedule is shown in time zone CET 02:00 pm – 06:00 pm (Brussels)

Session 1:	November 15, 2022
02:00 - 02:45	Welcome
02:45 - 04:00	Geometry of cylindrical gears, Reference profile, Backlash, etc.
04:00 - 04:20	Break
04:20 - 06:00	KISSsoft interface basic tabs and database
Exercises	Playing with the interface to duplicate an existing gear pair Introduce hobbing cutters with protuberance a semi topping from a drawing

Session 2:	November 16, 2022
02:00 - 02:45	Exercise follow up
02:45 - 04:00	Theory of cylindrical gears "profile and tooth trace modifications, K diagram, etc.
04:00 - 04:20	Break
04:20 - 06:00	KISSsoft interface special tabs "operating backlash, tooth form, etc.
Exercises	Determining the required backlash

Session 3:	November 17, 2022
02:00 - 04:00	Theory of contact analysis, KISSsoft user interface, interpretation of results
04:00 - 04:20	Break
04:20 - 05:00	Contact analysis report, settings, etc.
05:00 - 06:00	Contact analysis for planetary gears
Exercises	Profile modification of a gear pair; tip relief and transmission error

Depending on your KISSsoft skills and knowledge, please allow between **15 minutes and 1 hour** of your time after the session for independent **completion of the exercises**.

The below schedule is shown in time zone CET 02:00 pm – 06:00 pm (Brussels)

Session 4:	November 22, 2022
02:00 - 04:00	Calculation of flank and root safeties of gears
04:00 - 04:20	Break
04:20 - 05:00	Alternative root stress calculation, Static safeties, K factors
05:00 - 06:00	Face load factor according to ISO 6336-1 (Method C, Annex E)
Exercises	Strength rating of a gear pair
Session 5:	November 23, 2022
Session 5.	NOVEITIDEI 23, 2022
02:00 – 02:45	Exercise follow up
	,
02:00 - 02:45	Exercise follow up
02:00 - 02:45 02:45 - 04:00	Exercise follow up Load spectrum analysis, Rainflow counting, Reliability analysis and damage calculation
02:00 - 02:45 02:45 - 04:00 04:00 - 04:20	Exercise follow up Load spectrum analysis, Rainflow counting, Reliability analysis and damage calculation Break
02:00 - 02:45 02:45 - 04:00 04:00 - 04:20 04:20 - 06:00	Exercise follow up Load spectrum analysis, Rainflow counting, Reliability analysis and damage calculation Break Calculation of scuffing, micropitting and tooth flank fracture safeties

Session 6:	November 24, 2022
02:00 - 02:15	Exercise follow up
02:15 - 04:00	Rough and fine sizing
04:00 - 04:20	Break
04:20 - 06:00	Sizing of the micro modifications
Exercises	Optimization of a gear pair

Depending on your KISSsoft skills and knowledge, please allow between 15 minutes and 1 hour of your time after the session for independent completion of the exercises.

Session 1 - 2: Geometry of Cylindrical Gears with Involute Profile

- Gearing law, Involute tooth form
- Reference profile and tool geometry
- Tooth form for spur and helical gears, external and internal gears
- Profile shift, Grinding stock allowance, Manufacturing profile shift
- Sizing profile shift coefficient and deep tooth form
- Path of contact, Specific sliding
- Definition of various circles
- Backlash (Theoretical and Operating), Tip clearance
- Operating backlash calculation
- Tolerances and allowances, Quality and deviation
- Various methods for inspection
- Tooth flank modifications (Profile and tooth trace)
- Profile and tooth trace diagram (K chart)
- Measurement grid report
- Most frequent errors found in the geometric design of gear pairs
- Exercises

Session 3: Loaded Tooth Contact Analysis

- Tooth stiffness according to Weber/Banaschek
- Assumptions in the analysis of helical gear teeth
- Actual path of contact and identification of entry and exit impact
- Effective transverse contact ratio and overlap ratio
- Actual normal force and stress distribution
- Transmission error and its relation with vibration and noise
- Effect of the deviation and inclination error of axis
- Combining the shaft calculation
- Contact analysis of planetary gears (options, limits)
- Exercises

Session 4: Strength Rating and Failure Analysis

- Calculation of safety factors, Identifying required safety factors
- Definition of material data and Woehler Line (S-N curve)
- Calculation of the flank safety according to ISO 6336:2019
- Calculation of the root safety according to ISO 6336:2019
- Root stress calculation by FEM (2D and 3D)
- Static strength calculation
- K factors
- Face load factor according to ISO 6336-1 (Method C, Annex E)
- Exercises



Session 5: Strength Rating and Failure Analysis

- Calculation of scuffing (flash temperature and integral temperature)
- Micropitting (On request)
- Tooth flank fracture (On request)
- Load spectrum analysis, Load spectrum from time series data (Rainflow counting)
- Reliability, lifetime, and damage calculation
- Effect of profile and flank modifications on strength
- Interpretation of failure modes and strategies to prevent the failure
- Exercises

Session 6: Strategies for Gear Design Optimization

- Rough sizing to define the raw dimension of gears
- Fine sizing to define macro geometry of gears
- Modification sizing to define microgeometry of gears
- · Finding an optimal solution well balanced for various criteria
- Incorporating contact analysis results in sizing functions
- Strategies for optimizing tooth flank form for strength and noise
- Sizing modifications considering load spectrum
- Sizing modifications considering manufacturing errors
- Exercises

The training topics can be adapted to the knowledge level of the participants and upon special request from the participants. If you have any questions on detailed contents or any interest on special topics, please send us an email to <u>training@KISSsoft.com</u>.

